AUTEL

CARA Approved Battery Health Check

Battery Status Report

SOH Blitz Test

Vehicle Information

/Benz/EQA (243)
Odometer Reading: 52591.4km

VIN: [redacted]
Rated Voltage: 367 V
Rated Capacity: 190 Ah

Test Time: 2026-10-23 12:19:53
Testing Organization: Automobilių patikra prieš pirkimą
Customer:
S/N: V6DGS9V01123
Version: V6.42

Scan to download PDF

Battery Status

Pack Information

Battery Health Status	Static Temperature Consistency	Static Voltage Consistency
A	A	A

SOH*:	96 %	Battery Temperature:	19.4 °C	Battery Voltage:	369.10 V
SOC:	51 %	Max Temperature Delta:	1.7 °C	Max Voltage Delta:	0 mV

Energy 66.9 kWh | 69.7 kWh

New vehicle's range on a full charge (WLTP) 409 km | 426 km

*: Based on the BMS data or related data of the vehicle manufacturer. Autel provides no guarantee regarding the actual SOH or physical condition of the battery.

Battery DTCs

No fault codes detected

AUTOMOBILIO PATIKRA PRIEŠ PIRKIMĄ
PATIKRINTA
PATIKRINTAS PRIEŠ PERKANT

Test Parameters

Cell Voltage Information

Maximum Cell Voltage:	**3.69 V**	Minimum Cell Voltage:	**3.69 V**
Average Cell Voltage:	**3.69 V**	Cell Voltage Delta:	**0 mV**
Standard Cell Voltage Delta:	**0 mV**		

Low High Warning Not OK

	1	2	3	4	5	6	7	8
#1-#8	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#9-#16	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#17-#24	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#25-#32	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#33-#40	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#41-#48	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#49-#56	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#57-#64	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#65-#72	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#73-#80	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#81-#88	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#89-#96	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V	3.69 V
#97-#100	3.69 V	3.69 V	3.69 V	3.69 V				

AUTOPATIKRA SAULIUS PROAUTO
AUTOMOBILIO PATIKRA PRIEŠ PIRKIMĄ
PATIKRINTA
PATIKRINTAS PRIEŠ PERKANT

Cell Temperature Information

Max Temperature:	**19.4 °C**	Min Temperature:	**17.7 °C**
Average Temperature:	**18.6 °C**		

Low High Warning Not OK

	1	2	3	4	5	6	7	8
T1-T8	18 °C	18.7 °C	19.2 °C	18.8 °C	18.7 °C	18.9 °C	19.1 °C	19.2 °C
T9-T16	18.2 °C	18.3 °C	18.7 °C	19.4 °C	18.5 °C	18.2 °C	19.3 °C	18.2 °C
T17-T24	18 °C	19.2 °C	17.8 °C	18.2 °C	19.3 °C	18.1 °C	17.7 °C	19.2 °C

AUTO PATIKRA

Testing Organization:	Automobilių patikra prieš pirkimą
Address:	
Tel:	
Email:	info@sauliusproauto.lt
Technician:	
Date:	

Note: Please save a copy of this report for your records.

AUTO PATIKRA
SAULIUS PROAUTO

Disclaimer:
1. All data presented in this report are sourced from the original BMS data of the vehicle manufacturer or related derivative data. Due to factors such as delayed data updates or transmission latency, the report data may differ from the actual condition of the battery.
2. The results generated by this feature and its corresponding analysis strategy are for reference only. Autel makes no warranties regarding the authenticity, accuracy, or completeness of the data, and provides no guarantee, whether express or implied, regarding the actual SOH or physical health status of the battery. By using this feature, you are deemed to have agreed to and accept all terms of this disclaimer.
3. This report provides a reference for vehicle inspection and maintenance only. Autel is not liable for any accident, property damage, or personal injury resulting from the use of this information.